

Enclosed

- Impression Tray (Upper / Lower)
- Working Model (Upper / Lower)
- Study Model (Upper / Lower)
- Bite Registration (Wax / Silicone)
- Photos & details (Whatsapp / Email)
- Oral Scan File [Date sent : _____]

Please provide any photos, study models, diagnostic casts with case.

Send photos to : **Whatsapp 019- 504 1975**

DOCTOR IN CHARGE

PATIENT NAME

AGE

FACE

GENDER

M / F



REMOVABLE RX NO.:

DATE (Send to Lab)

Examination Items for Mandibular Complete Denture



Suction Inhibiting Factor	Right			Left		
	Good	Fair	Poor	Good	Fair	Poor
1 Ridge Form						
2 Spongy tissue in sublingual fold region						
3 Space for denture extension in retromylohyoid fossa region						
4 Pear-like shaped retromolar pad						

Retromolar pad

as **Fair**,
= if one risk

as **Poor**,
= if more than
two risks are marked

Retromolar pad	Right			Left		
	Yes	Slightly	No	Yes	Slightly	No
	Large	Moderate	Small	Large	Moderate	Small
	Shallow	Moderate	Steep	Shallow	Moderate	Steep
A The presence of firm fibrous tissue in anterior half	Yes	Slightly	No	Yes	Slightly	No
B Size	Large	Moderate	Small	Large	Moderate	Small
C Tilt angle	Shallow	Moderate	Steep	Shallow	Moderate	Steep
D Change during open & close movement	Small	Moderate	Large	Small	Moderate	Large

5 Tongue retraction upon opening mouth	Normal (less than 2cm)	Further retraction (2 ~ 4cm)	Even further retraction (more than 4cm)
6 Jaw relationship	Class I	Class II	Class III
7 Mandibular jaw position	Guided position & habitual occlusal position coincide or within 2mm or discrepancy	More than 2mm of discrepancy	More than 2mm of discrepancy & unstable tapping point
8 Temporomandibular function	Normal	Disfunction	Severe dysfunction with pain

Special Note:

- Wearing time of the denture
- (Maxillary) Flabby tissue
- Tori (Mandibular) Flabby tissue
- Genial tubercle shallow labial vestibule in mandibular anterior region
- etc